1	THE CHAIRMAN: I hereby declare this
2	meeting to order and state that this is a meeting
3	of the Harrison Housing Authority of the Town of
4	Harrison scheduled for September 12, 2023. This
5	meeting is a regularly scheduled meeting, and
6	proper public notice of time, date, location,
7	purpose and agenda have been posted in compliance
8	with the Sunshine Law.
9	Please join me in the Pledge of
10	Allegiance.
11	(Pledge of Allegiance.)
12	THE CHAIRMAN: Clerk, call the roll.
13	MS. GILMORE: Commissioner Choffo,
14	absent.
15	Commissioner Confessore.
16	COMMISSIONER CONFESSORE: Here.
17	MS. GILMORE: Commissioner Kinsella.
18	COMMISSIONER KINSELLA: Here.
19	MS. GILMORE: Commissioner Miller.
20	COMMISSIONER MILLER: Here.
21.	MS. GILMORE: Commissioner Mustilli,
22	absent.
23	Commissioner Pettigrew.
24	COMMISSIONER PETTIGREW: Here.
25	MS. GILMORE: Dr. Doran.

-	
	Page 5
1	back in session.
2	MS. GILMORE: Commissioner Confessore.
3	COMMISSIONER CONFESSORE: Here.
4	MS. GILMORE: Commissioner Kinsella.
5	COMMISSIONER KINSELLA: Here.
6	MS. GILMORE: Commissioner Miller.
7	COMMISSIONER MILLER: Here.
8	MS. GILMORE: Commissioner Pettigrew.
9	COMMISSIONER PETTIGREW: Here.
10	Dr. Doran.
11	THE CHAIRMAN: Here.
12	Can I have a motion to approve the
13	bills?
14	COMMISSIONER PETTIGREW: Motion.
15	COMMISSIONER CONFESSORE: Second.
16	THE CHAIRMAN: Motion made by
17	Pettigrew, second by Confessore.
18	Clerk, call the roll.
19	MS. GILMORE: Commissioner Confessore.
20	COMMISSIONER CONFESSORE: Aye.
21	MS. GILMORE: Commissioner Kinsella.
22	COMMISSIONER KINSELLA: Aye.
23	MS. GILMORE: Commissioner Miller.
24	COMMISSIONER MILLER: Aye.
25	MS. GILMORE: Commissioner Pettigrew.

	Page 6
1	COMMISSIONER PETTIGREW: Aye.
2	MS. GILMORE: Dr. Doran.
3	THE CHAIRMAN: Aye.
4	Communications?
5	MS. GILMORE: We have the municipal
6	league conference from November 14th to November
7	16th, so I have to know who wants to go. But if
8	you're not going to go, you cancel it, it's very
9	hard because we have to send a PO, and to get the
10	money back into it
11	COMMISSIONER CONFESSORE: What's the
12	date?
13	MS. GILMORE: to get early
14	registration, all right.
15	THE CHAIRMAN: Is there anyone required
16	to have CEU hours?
17	MS. GILMORE: No, everybody has got
18	their's, they're all in.
19	THE CHAIRMAN: Okay.
20	MS. GILMORE: As long as everybody lets
21	me know by September 30th is the last day.
22	THE CHAIRMAN: Let's try to.
23	MS. GILMORE: Make it maybe next week?
24	THE CHAIRMAN: A week from tomorrow,
25	the 20th, please notify.

1	COMMISSIONER CONFESSORE: When is the
2	conference?
3	MS. GILMORE: November 14th to the
4	16th.
5	COMMISSIONER MILLER: Tuesday through
6	Thursday.
7	COMMISSIONER CONFESSORE: I have to
8	check my calendar.
9	THE CHAIRMAN: All right. The
L O	Executive Director's report. If you could
L1	explain to us, Ray, what are the risers that we
L2	have in the change order.
L3	DIRECTOR LUCAS: So basically what
L4	happened was, hearing's the plumbing explanation,
L5	Excelsior Plumbing has completed all the
1.6	upgrades. House traps. The stuff comes up
17	THE CHAIRMAN: So they put in
18	backflows.
L9	DIRECTOR LUCAS: Yes, my guys have been
20	standing with backups in the building so we
21	rectified that. But in response to rectifying
22	the traps, we found emergency pipes that had
23	cracks in it; one to the boiler system, another
24	one in the concrete, the sewerage system. So
) E	ongo we found those it was an emergency to get

them down because it was getting colder outside. We got them down. So the whole upgrade, 6, 7, 8 and 9, and replaced the main sanitary lines in the crawl space from the riser.

THE CHAIRMAN: What is the riser?

MR. GILMORE: The riser is the part that goes up through the apartments. What we replaced was the main.

THE CHAIRMAN: So everything goes up and everything connects to it.

COMMISSIONER PETTIGREW: It's a vertical pipe.

MR. GILMORE: The Rosen duplexes, when we were first taking them apart we found there was holes actually behind the walls going up to the, into where the kitchen is, so we wanted to extend it up to the riser, everything from the riser over to the main. And the main, that was under the concrete.

DIRECTOR LUCAS: Under it.

THE CHAIRMAN: Only in three buildings?

DIRECTOR LUCAS: Six, seven, eight and nine we did all that, and Building 4 a section in the main and ceiling in the building room. The Building 10 gas water main pipe was repaired. We

had a crack in the main. So that was, the total was 537,014, the total cost. All we have left is the punch list with the engineer. So that was done.

The cameras. Don't fall out of your seat, 637,853. Basically we're changing every camera, both sides. 360 degrees pixels, we'll be able to read the names on shirts. One of the reasons we tried to save on the other security. So they're starting next week. Eight weeks before it done, but when it's done the Housing Authority will never have to touch cameras again. We did procurement, the whole nine yards.

MR. MANFREDI: Darryl was here, LAN was here. Yes.

DIRECTOR LUCAS: What happened was
Viacom, one of the companies that we really
wanted to do the 360, which has all the software
available to police departments, the guy with the
lowest bid won the bid, he was going to try to
use somebody else, we had a bit of a
disagreement. He saw the lighter side of things,
we got what we were looking for for the price we
were looking for. So you guys will never have to
touch those cameras ever again. They're that

1.6

2.0

Т	to be starting in 4 Building, I Building this
2	Friday. So what's happening is in order to do
3	the disconnect where everything comes into that
4	building they have to shut the entire building
5	down. So if you've heard the building has been
6	shut down, we can't do anything until we get that
7	disconnect in. So they do it, again, and do the
8	apartments individually. So the buildings are
9	not out for as long. So they pretty much got all
10	the apartments in 5 together, all of them
11	switched over already. And we're going to start
12	in 1 Building, shutting 1 Building down all day
13	to do the disconnect. And then we'll be
14	proceeding into the other buildings. We're
15	getting rid of a lot of Square D breakers and
16	Federal Pacific breakers that have been
17	discontinued. So we're getting rid of all of
18	them.
19	THE CHAIRMAN: All right. Any other
20	questions?
21	COMMISSIONER MILLER: I just want
22	everyone to know that I have a life guarantee
23	from Crazy Eddie. So when people say you've got

a lifetime guarantee from Square D and Federal

it's in the Crazy Eddie world of lifetime

24

warranties.

COMMISSIONER PETTIGREW: Gene, are we doing anything with looking at modernizing the playground and the seal? I love the seal, but I think we should have a better water park.

THE CHAIRMAN: What do you dislike about the seal?

COMMISSIONER PETTIGREW: I told you, I love the seal. It's time for new. They have modern sprinklers and stuff now. We can actually have a water park in that space.

DIRECTOR LUCAS: I get that. I love the water park, Gene.

COMMISSIONER PETTIGREW: If we map it out now and get bids over the winter, maybe they can start breaking up the --

MR. GILMORE: The one thing with that is really important. I'm not saying this playground isn't important, but within the next year or so we're going to have to do boilers in the Harrison Gardens. There's two there, and they're probably going to run at least \$1 million apiece. So the way we're looking at it, I'm not sure what we have going and what the money that we are getting in is, but the boilers are 28

	rage 13
1	years old. We've repaired them a couple times,
2	different sections.
3	DIRECTOR LUCAS: More than a couple
4	times.
5	MR. GILMORE: But it's something that
6	we're definitely going to have to look into, and
7	that would also be during this time if you were
8	going to have them in the summertime.
9	DIRECTOR LUCAS: See if you can get two
10	boilers and a water park.
11	COMMISSIONER PETTIGREW: Not for
12	nothing, but the boiler system, you can bid it
13	out and you can encumber a couple years' worth of
14	monies to buy a boiler.
15	MR. GILMORE: Yes.
16	DIRECTOR LUCAS: We're not doing it all
17	at once, Artie. There's no way, we don't have
18	the funds. We'll do them one at a time.
19	COMMISSIONER PETTIGREW: I'm saying
20	encumber the funds each year.
21	COMMISSIONER MILLER: Where is this?
22	DIRECTOR LUCAS: Right by the parking
23	lot, Richard.
24	MS. GILMORE: The whole complex here?

COMMISSIONER MILLER: No, the Harrison

	rage 14
1	Gardens, the one that I looked at.
2	DIRECTOR LUCAS: Kingsland Court, we
3	did that already. We have two boilers.
4	COMMISSIONER MILLER: So are we having
5	leaks?
б	MR. GILMORE: Not yet.
7	DIRECTOR LUCAS: We've had sections
8	repaired many times. The turnover is costing too
9	much. It's justifying to cut your losses.
10	MR. GILMORE: We've gotten to the point
11	where sections that are going to be failing are
12	now towards the middle of the boiler. So in
13	order to fix that, they have to remove everything
14	in front to get to the new failing section. They
15	call it a porkchop boiler, but the water jacket
16	goes around it. So we should, like I said, I
17	just want everybody to be aware.
18	THE CHAIRMAN: When do we plan on
19	changing them?
20	DIRECTOR LUCAS: Me and Gene have been
21	talking about this for years, not just recently.
22	MR. GILMORE: We should do it soon.
23	DIRECTOR LUCAS: Later, Dr. D.
24	THE CHAIRMAN: Keep us posted.

We'll find out.

MR. GILMORE:

25

We have

them inspected every year. They open them up, go 1 2 inside, and tell us if they're leaking or not. So last year we were good, so this year when we 3 have that done we'll know whether we have to. 4 THE CHAIRMAN: It's going to be a mild 6 winter. MR. GILMORE: Only one of our boilers 8 can moderately heat this complex. We need both 9 of them to get it up to 70 degrees that we're 10 required to do. 11 COMMISSIONER MILLER: A question. Ιf 12 you need, if two boilers are -- are they combined 1.3 150 percent? 14 MR. GILMORE: The same leader, yes. 1.5 COMMISSIONER MILLER: You said one 16 boiler can supply to what temperature? 17 MR. GILMORE: Probably about 68. 18 COMMISSIONER MILLER: So basically 90 19 percent of what you need. So between the two 20 you're at 180? 21 MR. GILMORE: Yes. We would shut one 22 down and run just one boiler. But the one 23 boiler, of course it's steam, runs on pressure, 24 and it's also a computer-run system. And what

happens is the system doesn't really work because

there's not enough heat to get to the sensor that tells it to start either backing down or bringing another boiler in, so it's going to beat up the other boiler, and they're both the same age.

COMMISSIONER CONFESSORE: Do they get rotated? Like one is the primary and one is the second?

MR. GILMORE: Yes, every 24 hours. The lead lag you're talking about? Every 24 hearse.

COMMISSIONER MILLER: The problem is, like Eugene says, if one fails in January, then you've got no spare capacity. What we do in our stuff is we would put in three at 70 percent each.

THE CHAIRMAN: Right.

DIRECTOR LUCAS: I'm sorry, I missed that.

COMMISSIONER MILLER: Right now you've got two each at 90 percent. If both can fire you're at 180 percent of what you need and you don't lose any sleep. We, instead of doing that, we do three at 70 percent, so if you lose one you're at 140. And it's a question now of would you replace the existing or go to three units which gives you 210 percent capacity, so that

21.

- when you have a failure, which will always happen, you're not losing --
- DIRECTOR LUCAS: Anything.
- COMMISSIONER MILLER: -- right. On a cold day in February. Which is why we went to three. Which is the exact reason we had the
- So I was asking about, so basically you can say each one is 90 percent, or 75, however they calculate it. I'm not trying to do the math calculation, but it's usually fine as long as both are firing. I'd rather it be with one failing, one of three than one of two. It would be interesting to go check it out.
- MR. GILMORE: Yes, I've already talked to them.
- THE CHAIRMAN: Is that where you have

 18 LAN do some research on that?
- MR. GILMORE: I've already talked to
 Chris. You could also put six boilers down
 there.
- THE CHAIRMAN: Where is John Pomponi
 (phonetic) when you need him.
- COMMISSIONER MILLER: And how is the hot water provided?

7

redundancy.

	,
1	MR. GILMORE: The boilers provide it in
2	the wintertime. And on and off, depending on the
3	boilers, we have a hot water heater that makes up
4	the difference.
5	COMMISSIONER MILLER: In the
6	summertime?
7	MR. GILMORE: All the time. Because if
8	it's not that cold out the boilers don't go on,
9	so there's wouldn't be any. So the hot water
10	heater produces the hot water we need.
11	COMMISSIONER CONFESSORE: And the three
12	units would use less.
13	THE CHAIRMAN: Can I have a motion to
14	approve the maintenance report?
15	COMMISSIONER PETTIGREW: Motion.
16	COMMISSIONER CONFESSORE: Second.
17	THE CHAIRMAN: Motion made by
18	Pettigrew, second by Confessore.
19	Clerk, call the roll.
20	MS. GILMORE: Commissioner Confessore.
21	COMMISSIONER CONFESSORE: Aye.
22	MS. GILMORE: Commissioner Kinsella.
23	COMMISSIONER KINSELLA: Aye.
24	MS. GILMORE: Commissioner Miller.
25	COMMISSIONER MILLER: Aye.

MS. GILMORE: Commissioner Miller.

800-227-8440

CERTIFICATE

I, SUSAN M. STYRON, Notary Public,
R.P.R., C.S.R., of the State of New Jersey,
License No. XIO1704, do hereby certify that the
foregoing is a true and accurate transcript of
the proceedings as taken stenographically by and
before me at the time, place and on the date
hereinbefore set forth.

I DO FURTHER CERTIFY that I am neither a relative nor employee nor attorney nor counsel of any of the parties to this action, and that I am neither a relative nor employee of such attorney or counsel, and that I am not financially interested in the action.

Notary Public of the State of New Jersey

My Certificate expires June 30, 2024

Susan H. Styron

Dated: September 25, 2023